







AiM MXm

Dash logger





AiM MXm

Dash logger

Technical specifications

Display resolution	268 x 128 pixels
Backlight	7 configurable RGB colors
Ambient Light sensor	Yes
Shift Lights	5 configurable RGB LEDs
Alarm LEDs	2 configurable RGB LEDs
CAN connections	2
ECU connection	CAN, RS232, K-Line
Inertial platform	Internal 3 axis $\pm 5G$ accelerometer + 3 axis gyro
Coil RPM input	Yes
GPS	Integrated
External modules	Lambda Controller, SmartyCam 3
Analog inputs	4 fully configurable, max 500 Hz each
Digital inputs	2 speed inputs, coil RPM input
Digital outputs	2 high-side
Wi-Fi connection	Yes
Internal memory	4 GB
Body	PA6 GS30%
Pushbuttons	Metallic
Connectors	37 pins Motorsport connector + 4 pins power connector
Dimensions	137 x 88.4 x 31.9 mm
Weight	330 g
Waterproof	IP65


In the box

MXm, USB cable, 37 pins connector harness, DTP 06-4S EE01 4 pins connector with pins.
RaceStudio 3 software and user manual freely downloadable from aim-sportline.com.


Part number

X87MXM0000	MXm
-------------------	-----


Pinout



37 pins Motorsport
male connector
front view



4 pins power
male connector
front view



Pin	Pin function
1	9-15V Power input
2	Battery Ground
3	CAN+ Exp
4	Ground
5	+Vbattery CAN
6	CAN- exp
7	+Vbext
8	CAN1+/ECU RS232TX
9	CAN1- /ECU RS232RX
10	Ground
11	ECU K-Line
12	USB D+
13	USB D-
14	Ground
15	RPM
16	Ground
17	+Vbattery
18	Speed2
19	Speed1

Pin	Pin function
20	Ground
21	+Vbattery
22	Analog Input 1
23	Analog GND
24	+Vbattery
25	+Vreference
26	Analog Input 2
27	Analog GND
28	+Vbattery
29	+Vreference
30	Analog Input 3
31	Analog GND
32	+Vbattery
33	+Vreference
34	Analog Input 4
35	Analog GND
36	+Vbattery
37	+Vreference

Pin	Pin function
1	High side output 2
2	9-15V power input
3	9-15V power input
4	High side output1